Appl. No.

:

10/719,770

Filed

November 21, 2003

AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated:

1-12. (**Canceled**)

13. (Currently Amended) A method of screening for <u>an autoimmune disease</u> rheumatoid arthritis in a mammal comprising:

contacting a sample from said mammal to an immobilized polypeptide or fragment thereof homologous to at least a portion of at least one protein selected from the group consisting of L35 protein, eukaryotic translation elongation factor 1 α -2; NADH dehydrogenase 3 (complex I), 24-kDa subunit of complex I, mitotic kinesin-like protein-1, thromboxane synthase, and uncoupling protein homolog; and

detecting binding of an antibody from said sample to said immobilized polypeptide or fragment thereof.

- 14. **(Original)** The method of claim 13, wherein the polypeptide or fragment thereof is immobilized on a microarray.
 - 15. (Original) The method of claim 13, wherein the proteins are His-tagged.
- 16. **(Original)** The method of claim 13, wherein the proteins are printed on a charged nickel slide.

17-20. (Canceled)

- 21. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of L35 protein.
- 22. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of eukaryotic translation elongation factor 1 α -2.
- 23. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of NADH dehydrogenase 3.
- 24. **(New)** The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of 24-kDa subunit of complex I.
- 25. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of mitotic kinesin-like protein-1.
- 26. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of thromboxane synthase.

Appl. No.

: 10/719,770

Filed

November 21, 2003

27. (New) The method of Claim 13, wherein the polypeptide or fragment thereof is homologous to at least a portion of uncoupling protein homolog.

- 28. (New) The method of Claim 13, wherein the autoimmune disease is rheumatoid arthritis.
- 29. (New) The method of claim 28, wherein the polypeptide or fragment thereof is immobilized on a microarray.
 - 30. (New) The method of claim 28, wherein the proteins are His-tagged.
- 31. (New) The method of claim 28, wherein the proteins are printed on a charged nickel slide.
- 32. (New) The method of Claim 28, wherein the polypeptide or fragment thereof is homologous to at least a portion of L35 protein.
- 33. (New) The method of Claim 28, wherein the polypeptide or fragment thereof is homologous to at least a portion of eukaryotic translation elongation factor 1 α -2.
- 34. (New) The method of Claim 28, wherein the polypeptide or fragment thereof is homologous to at least a portion of NADH dehydrogenase 3.
- 35. (New) The method of Claim 28, wherein the polypeptide or fragment thereof is homologous to at least a portion of 24-kDa subunit of complex I.
- 36. (New) The method of Claim 28, wherein the polypeptide or fragment thereof is homologous to at least a portion of mitotic kinesin-like protein-1.